

Our Case No.: 743420 Appl. No.: 90133316

Present Stage: Primary Examination Type of the Notice: Office Action

Cited Reference: Y

# [TRANSLATION]

#### **Syllabus**

In the matter of patent application No. 090133316, the applicant is requested to submit the amended specification (including claims) within sixty days from the next day of service of this notice. If the time limit is not observed duly, or the applicant does not agree to make an amendment in accordance with the instructions, a decision will be rendered based on the contents presently available\*. (\*TIPLO note: indicating that the application shall likely be rejected if the official instructions are not followed.)

#### Explanation

1. This Official Notification is issued according to Article 44 · 44-1 and 102-1 of the Patent Law, Article 28 of the Enforcement Rules of the Patent Law, and Regulations No.IP-LET-0918600118-0 promulgated on November 8, 2002. An official fee for amendment of NT\$ 1,000 shall be paid (if the specification and drawings are to be amended) or supplemented, a request form has to be filed in duplicate, along with the supplementary amended pages of the specification or drawings in duplicate (with the supplement or amended portions underlined) and clean-copy supplemented/amended pages of the specification or drawings in triplicate; and if this supplement or amendment results in discontinuity in the number of pages of the original specification or drawings, a complete set of the specification or drawings after supplement/amendment has to be submitted to this Office in triplicate).

## 2. After examination, it is held that:

- (1)A few clerical errors are found in the Chinese-version specification of this application, please amend them.
- (2) The applicant should explain why the beam-shaping beam splitter 84 in FIG. 3 is in such an irregular shape rather than a normal cube. Besides, the expression of

issued on Oct. 16,



Our Case No.: 743420 Appl. No.: 90133316

Present Stage: Primary Examination Type of the Notice: Office Action

Cited Reference: Y

"at %" should be further specified for clarification.

(3)After examination, it is found that a Taiwanese Patent of Publication No. 300303 is relatively associated with the present invention. Thus the applicant should point out the differences therebetween and the inventive steps involved in this application.

# [TIPLO'S Remarks]

## 1. Digest of the Notice

The Examiner requested us to amend some improprieties in the specification of this application and point out the differences between this application and a cited reference.

#### 2. Related Legal Provisions

This Official Notification is issued pursuant to Article 44-1 of the Patent Law and Article 28 of the Enforcement Rules of the Patent Law, as quoted below for your reference.

#### Article 44-1

The Special Patent Agency may, ex officio, notify the applicant to supplement or amend the specification or drawings within a specified time limit:

The applicant may supplement or amend the specification or drawings within fifteen (15) months from the day following the filing date of the invention patent application.

After fifteen (15) months from the day following the filing date of the invention patent application, the applicant may supplement or amend the specification or drawings only on the dates or during the periods as specified below:

- (1) At the same time when applying for substantive examination.
- (2) Within three (3) months from the day following the service of the notification of substantive examination, if the substantive examination is applied for by the person other than the applicant.
- (3) Within the time limit prescribed in Final Office Action prior to Rejection as rendered by the Special Patent
- (4) At the same time when applying for re-examination or within the time limit for supplementing the statement for reasons of re-examination.
- (5) Within the time limit for submitting the written response to opposition.
- (6) Within the time limit for submitting the written response which is prescribed by the Special Patent Agency ex officio during examination.

The supplement or modification made in accordance with the preceding three paragraphs shall not involve any substantial changes and if such supplement or modification is submitted after the publication of the invention patent application, it will be allowed only under any of the following events:



Our Case No.: 743420 Appl. No.: 90133316

Present Stage: Primary Examination Type of the Notice: Office Action

Cited Reference: Y

(1) Where the claims are excessively broad. (2) Where there are erroneous statements. Or

(3) Where there are ambiguous statements.

In the event that a priority is claimed in accordance with Article 24 of the Law, the time limit as stated in the paragraph 2 shall be counted from the day following the priority date. (1) Prior to applying for patent, it has been published or publicly used; provided that this restriction shall not apply if the publication or public use is made for the purpose of research or experiment and an application for patent has been filed within six months from the date of such publication or public use;

#### **Article 28 of Enforcement Rules**

A submission of supplements, amendments of specification or drawings according to item 1 through item 4 of the first paragraph of Article 44-1 or item 1 of the first paragraph and the third paragraph of Article 102 of the Patent Law should be filed with an application form and include following documents:

- (1) Page(s) of the specification or drawings containing amended contents with the amended portion(s) being underlined.
- (2) A clean copy of the page(s) of the specification or drawings containing amended contents; if this specification or drawing supplements, amendments causes discontinuity of original specification or drawing page numbering, a full set of the specification and drawings that have been supplemented, amended should be enclosed as well.

# 3. Strategies and Tactics

Please be advised that this Office Action is not a formal rejection. At the present stage, we need to submit a response to the IP Office.

As to the above EXPLANATION 2. (1), we apologize for the clerical errors in the Chinese-version specification, which is fortunately of non-substantive effect and shall instantly be corrected at our end.

As to the above EXPLANATION 2. (2), we need your assistance to answer the questions about what the exact shape of the beam-shaping beam splitter 84 in FIG. 3 is and how it works. You may consider submitting an amended FIG. 3 wherein the shape of the beam-shaping beam splitter 84 is better shown. Besides, please confirm that the expression of "at %" (for example, on page 22, line 2) stands for "atoms %".

As to the above EXPLANATION 2. (3), since the Examiner considered that this application is similar to a cited reference "TW 300303", please provide us with your comments regarding the distinct technical features and the improved effects of this application in comparison with said cited reference. For your reference, we have obtained from the IP Office a copy of the English specification for said cited



Our Case No.: 743420 Appl. No.: 90133316

Present Stage: Primary Examination Type of the Notice: Office Action

Cited Reference: Y

reference, TW 300303, entitled "MAGNETO-OPTICAL RECORDING MEDIUM AND A METHOD OF READING-OUT THE SAME", as attachment.

Should you have any further questions, please feel free to contact us.

Timely receipt of your instructions in response will be greatly appreciated.

Handled by Robert Chang Supervisor: Robert Ho

DDN: 886-2-25086680

NOV 0 5 2003

裝

# 經 濟部智慧財產局 函

受文者: 佳能股份有限 公司 (代理人: 林志剛 先生 傳觸地址: (〇二)二三七七一八二〇台北市辛亥路二段一八五號三樓

如有疑問請電洽(0二)ニセ三八000七分機 九〇三〇

附發文子 期· 密等及解究 一、號·

日期:中華民國九十二年十月十六日〈解密條件: 〈 九二〉智專二(二)04095字第〇九二二一〇四四三二〇號

說

主

占日 本〈頁〉,i 請於文到次 於文到次 送局憑辦, 日起六十 ·日內 逾 限或不同意補充、修正,本局即依原申請內容逕予審定,請 ,提出第〇九〇一三三三一六號專利申請案補充說 明、 說明 書、修正 照 0

明:

明書或圖式一式三份至局)。 頁一式三份;如補充、修正後致原說明書或圖式頁數 充 台 依 ?、修正部份劃線之說明書或圖式修正頁一式二份及補充、 九十 專 利 法 千元正(如有補充、修正說明書或圖式者, (正(如有補充、修正說明書或圖式者,應備具補充、修正申一十一月八日智法字第〇九一八六〇〇一一八—〇號公告之 四 十四條 、第四十四條之一、第一百 零二條 不連續者 之一、專 《者,應檢附補充、多、修正後無劃線之說明書或圖弋、修正後無劃線之說明書或圖弋,、修正申請書一式二份,並檢送補,以修正規費之,以與一人,以及一人與一人,與一人,與一人,與一人,與一人,與一人,與一人, 修正後之全份說矾明書或圖式替換 新 補

林 志剛 先生 104

臺北市中

Щ

區南

京東路二段一二五號

光樓

雙掛

發文文號:09221044320

に可能に登る日本

第一頁

\* 0 9 2 2 1 0 4 4 3 2 0 \*

c:\A92NN356 NN1

裝

# 二、本案經審查認為:

〔一〕本案之專利名稱及全文中Domain wall displacement 的翻譯應再斟酌,在磁學中domain應 最後一行)。 為磁區(說明書第5頁最後一行),wall應為壁,displacement應為位移或移動(說明書第17頁

(二)圖式3的84元件為何不是一般的立方體,而是如此怪異的形狀,應補充說明理由。說明書第 19頁第3行40 a t % 及第12行Fe l a t %不清楚記載,應補充說明。

(三)查中華民國專利,專利公告號 : 300303,專利名稱:光磁性記錄媒體及其讀取方法(如附件 ),與本案有相當關聯,本案應於修正時補充說明本案與引證案之差異與進步性

正本:佳能股份有限公司(代理人:林志剛 先生)

副本:

局長

授權單位主管決行依照分層負責規定

附件

# 中華民國專利公報(19)(12)

(11)公告編號:300303

〔41〕中華民國86年(1997)03月11日

90133316

(51) Int · C 1 6: G1187/26

發 明

全 6 百

(54)名 務:光磁性記錄媒體及其讀取方法

(21)中 請 案 號:83110880

(22)申請日期:中華民國83年(1994)11月22日

(72) 般明人:

川野敏史

日本

伊藤秀高

日本

(71)申 精 人:

三菱化學股份有限公司

日本

〔74〕代 理 人:林敏生 先生 林志剛 先生

1

2

#### [57]申請專利範圍:

1. 一種光磁性記錄媒質,無需使用讀取 磁場下,它包含一個基質和一個至少 由讀取層、截斷層和記憶層依序擺放 在該基質上所構成的交換耦合磁性層 ,各層是由稀土族金屬與過渡金屬的 合金構成,

該讀取層、截斷層和記憶層的居里溫 度滿足下列關係式:

 $T_{c1}>T_{c2}\geq 50$ °C

(1)

 $T_{c3}>T_{c2}$ 

(2)

10.

其中 Tc1代表讀取層的居里溫度, Tc2代表截斷層的居里溫度和Tc3代表 記憶層的居里溫度;

該磁性層具有的特性是,當該磁性層 以讀取光束加熱至接近Tc2或更高的 溫度時,則在記憶層與讀取層之間的 交換一耦合作用力會減少或變成零, 而被加熱至接近Tc2或更髙溫度時,由 於記憶層與讀取層間之耦合作用,髙 溫區域上至少與讀取相關之磁性層的 次晶格磁化方向會以相對於該區域在 低溫時的磁化方向來發生反轉,使得 該讀取層的磁化方向與該記憶層的磁 6. 化方向相同,以及

> 在讀取光束通過後,磁性層的溫度降低時,經由截斷層之媒介使讀取層與記憶層間產生反磁性交換耦合作用, 次晶格磁化方向會恢復回來,使得該 讀取層的磁化方向與該記憶層的磁化 方向相反。

- 2.一種如申請專利範圍第1項的光磁性 記錄媒質,其中在Tc2時讀取層主要是 稀土族金屬的磁化佔多數,以及在 Tc2時記憶層主要是過渡金屬的磁化佔 多數,或者在Tc2時讀取層主要是過渡 金屬的磁化佔多數,以及在Tc2時記憶 層主要是稀土族金屬的磁化佔多數。
  - 3. 一種如申請專利範圍第1項的光磁性

3

記錄媒質,其中讀取層的補償溫度(Tcomp)超過Tc2,

- 4. 一種如申請專利範圍第1項的光磁性 記錄媒質,其中在接近Tc2或更高的 溫度時,讀取層的柯爾旋轉角度會比 室溫附近-交換耦合作用強時一的柯 爾旋轉角度要大。
- 5. 一種如申請專利範圍第1項的光磁性 記錄媒質,其中在Tc2時讀取層的頑磁 作用力不低於2,000A/m,Tc2時的垂 直磁各向異性在2×10<sup>-5</sup>至8×10<sup>6</sup>耳格 /cc,Tc2時的磁化不低於100emu/cc, 以及室溫時的磁化不超過500emu/cc。
- 6. 一種如申請專利範圍第1項的光磁性 記錄媒質,其中讀取層是由 GdFeCo、GdCo、GdFe、GdDyFe、 GdDyCo、GdDyFeCo、GdTbFe、 GdTbCo;GdTbFeCo、GdFeCo、 DyCo、TbCo、TbFeCo、 TbDyFeCo或TbDyCo構成,截斷層 是由TbFe、TbFeCo、DyFeCo、 DyFe或TbDyFeCo構成,以及記憶層 是由TbFeCo、TbCo、DyFeCo、 TbDyFeCo、GdTbFe或GdTbFeCo構成。
- 7. 一種如申請專利範圍第1項的光磁性 記錄媒質,其中讚取層是厚度在8至 500nm,截斷層的厚度在2至30nm, 以及記憶層的厚度在10至50nm。
- 8. 一種如申請專利範圍第1項的光磁性 記錄媒質,其中讀取層的居里溫度不 低於250℃,截斷層的居里溫度是 100℃至180℃,以及記憶層的居里溫 度是200℃至280℃。
- 9. 一種如申請專利範圍第1項的光磁性 記錄媒質,其中Tc2時記憶層的磁化不 低於80emu/cc,室溫時的磁化不超過 300emu/cc,以及垂直磁各向異性不低 於2×10<sup>6</sup> 其格/cc。
- 10.一種如申請專利範圍第1項的光磁性

記錄媒質,其中記憶層的頑磁作用力 不低於240kA/m。

- 11.一種如申請專利範圍第2項的光磁性 記錄媒質,其中T<sub>c2</sub>,記憶層的磁化不 5. 低於80emu/cc,和室溫時的磁化不超 過300emu/cc,以及T<sub>c2</sub>時讀取層的磁 化不低於150emu/cc,和室溫時的磁化 不超過500emu/cc。
- 12.一種如申請專利範圍第11項的光磁性 10. 記錄媒質,其中T<sub>c2</sub>時,讓取層主要是 稀土族金屬的磁化佔多數,以及T<sub>c2</sub>時 ,記憶層主要是過渡金屬的磁化佔多 數。
- 13.一種如申請專利範圍第11項的光磁性 15. 記錄媒質,其中在Te2時讀取層的頑磁 作用力在2,000至40,000A/m,以及 Te2時記憶層的頑磁作用力不低於 800,000A/m。
- 14.一種如申請專利範圍第11項的光磁性 20. 記錄媒質,其中讀取層是由以下列化 學式表示之稀土族金屬與過渡金屬的 合金構成:

Gdx(FeyCo<sub>100-y</sub>)100-x

其中30≤x(原子%)≤35和0≤y(原子 25. %)≤100,以及記憶層是由以下列化 學式表示之稀土族金屬與過渡金屬的 合金構成:

 $Tb_{x1}(Fe_{y1}Co_{100-y1})_{100-x1}$  其中  $17 \le x1(原子%) \le 24$ ,和  $70 \le y1(原子%) \le 85$ 。

- 15.一種如申請專利範圍第1項的光磁性 記錄媒質,其中磁性層至少由依序擺 放在基質上之讀取層、截斷層、偏壓 層和記憶層所構成,各層是由稀土族
- 35. 金屬與過渡金屬的合金構成, 該四層彼此有交換耦合作用,居里溫 度滿足以下關係式:

 $T_{c1} > T_{c2} \ge 50$  (1)

 $T_{c3}>T_{c2} \tag{2}$ 

40.  $T_{c4} > T_{c2}$  (3)

30.

5

其中 Tc1代表讀取層的居里溫度, Tc2代表截斷層的居里溫度和Tc3代表 記憶層的居里溫度,以及Tc4代表偏壓 層的居里溫度。

以及在Tc2時,偏壓層會與記憶層有交換一耦合作用,並且Tc2時偏壓層的磁化會較記憶層高。

16.一種如申請專利範圍第15項的光磁性 記錄媒質,其中在Tc2時記憶層主要是 稀土族金屬的磁化佔多數,以及在 Tc2時偏壓層主要是過渡金屬的磁化佔 數,或者 在Tc2時讀取曆主要是過渡金屬的磁化 佔多數,以及在Tc2時,偏壓曆主要是

17.一種如申請專利範圍第15項的光磁性 記錄媒質,其中Tc2時偏壓層的磁化為 150至500emu/cc。

稀土族金屬的磁化佔多數。

- 18. 一種如申請專利範圍第15項的光磁性 記錄媒質,其中偏壓層是由GdFeCo、 GdCo、 GdFe、 GdDyFe、 GdDyCo、 GdDyFeCo、 GdTbFe、 GdTbCo、 GdTbFeCo、 DyFeCo; DyCo; TbCo、 TbFeCo、TbDyFeCo或TbDyCo構成。
- 19.一種如申請專利範圍第15項的光磁性 記錄媒質,其中偏壓層的厚度為2至 50nm。
- 20.一種如申請專利範圍第15項的光磁性 記錄媒質,其中偏壓層的居里溫度不 低於250℃。
- 21. 一種如申請專利範圍第15項的光磁性 記錄媒質,其中偏壓層的磁化為 150至500emu/cc,Tc2時記憶層的磁 化不超過150emu/cc,以及記憶層的垂 直磁各向異性不低於2×10<sup>6</sup>耳格/cc。
- 22.一種光磁性記錄媒質,無需加入一讀 取磁場下,它包括一個基質和一個至 少由讀取層、截斷層和記憶層依序擺 放在該基質上的交換耦合磁性層所構 成,各層是由稀土族金屬與過渡金屬

的合金構成,

該讀取層、截斷層和記憶層的居里溫 度滿足下列關係式:

 $T_{c1}>T_{c2} \ge 50$ 

(1)

 $T_{c3}$  $T_{c2}$ 

(2)

其中  $T_{c1}$ 代表讀取層的居里溫度,  $T_{c2}$ 代表截斷層的居里溫度和 $T_{c3}$ 代表記憶層的居里溫度;

- 該磁性層具有的特性是,當該磁性層 以讀取光束加熱至接近Tc2或更高的 溫度時,則在記憶層與讀取層之間的 交換一耦合作用力會減少或變成零, 而被加熱至接近Tc2或更高溫度時, 而被加熱至接近Tc2或更高溫度時, 記憶層與讀取層間之耦合作用 溫區域上至少與讀取相關之磁性層的 次晶格磁化方向會以相對於該區域 低溫時的磁化方向來發生反轉,的 低溫時的磁化方向與該記憶層的磁 化方向相同,以及當磁性層的
- 該讚取層的磁化方向與該記憶層的磁化方向相同,以及當磁性層的溫度在 20. 讀取光束通過後降低時,經由截斷層 之媒介使讀取層與記憶層間產生反磁 性交換耦合作用,次晶格磁化方向會 恢復回來,使得該讀取層的磁化方向 與該記憶層的磁化方向相反;
- 25. 在Tc2時讀取層主要是稀土族金屬的磁化佔多數,以及在Tc2時記憶層主要是過渡金屬的磁化佔多數,或者在Tc2時讀取層主要是過渡金屬的磁化佔多數,以及在Tc2時記憶層主要是稀土族金

30. 屬的磁化佔多數; 在 Tc2時讀取層的 頑磁作用力不低於 20,000A/m, Tc2時的垂直磁各向異性 在2×10<sup>-5</sup>至8×10<sup>6</sup>耳格/cc, Tc2時的 磁化不低於100emu/cc,以及室溫時的

- 35. 磁化不超過500emu/cc;以及 Tc2時記憶層的磁化不低於80emu/cc, 和室溫時的磁化不超過300emu/cc。
- 23.一種光磁性記錄媒質的讀取方法,它 包含使用如申請專利範圍第1項的光 40. 磁性記錄媒質,並在無外加磁場下以

10.

7

讀取光束照射光磁性媒質,如此至少 高溫區域中與讀取有關之磁性層的次 晶格磁化會在相對於該區域在低溫時 的磁化方向發生反轉。

24.一種光磁性記錄媒質的讀取方法,它 包含使用如申請專利範圍第11項或第 15項的光磁性記錄媒質,施以未施以 這類讀取磁場的同時,以讀取光束照 射光磁性媒質,以便使至少形成讀取 區段一部份的讀取層的次晶格磁化發 生反轉。

25.一種光磁性記錄媒質的記錄和讀取方法,它包含使用如申請專利範圍第 1項的光磁性記錄媒質一其中訊息是 以方向朝上或朝下的磁化來貯存,以 及在有以讀取光束來加熱一部份的媒 質以使溫度上升時,經加熱區域會使 柯爾旋轉以相反於該區域在低溫時所 引起的方向來旋轉,以及該區域在讀 取光束通過後冷却下來時,可恢復至 柯爾旋轉的原始方向,以及在讀取涵 X

蓋讀取光束點全部範圍的磁域時一無 論磁化是方向朝上或朝下,使用可產 生大體上相同訊號大小的讀取功率來 讀取訊息。

#### 5. 圖示簡單說明:


圖1(a)是在溫度低於Tc2時使用本發明 光磁性記錄媒質之讀取系統的結構圖, 以及圖1(b)是在溫度超過Tc2時使用本發 明光磁性記錄媒質之讀取系統的結構圖

圖2是本發明光磁性記錄媒質的示意 縱向剖面圖。


圖 3是本發明光磁性記錄媒質的計畫 說明圖。

15. 圖4(a)是在溫度低於Tc2時使用另一個本發明光磁性記錄媒質體系之讀取系統的結構說明圖,以及圖4(b)是溫度超過Tc2時使用光磁性記錄媒質體系之讀取系統的結構說明圖。


20. 圖 5(a)和圖 5(b)是使用本發明光磁性 記錄媒質之讀取系統的概略說明圖。





第一(a) 圖




第一(b) 圖









第四(a)圖



第四(b)圖



第五(a)圖



第五(b)圖